Technical data sheet

Falling vertical bend for PYROLINE® Con S BSKH09-K1021 fire protection duct

Item number: 7215666





Falling vertical bend for PYROLINE® Con S fire protection duct, type BSKH09-K1021, consisting of fibreglass lightweight concrete which is resistant to water and frost for the creation of vertical changes of direction (45°) of the duct. Mounted connectors ensure quick mounting in situ, whilst loosely placed covers ensure quick inspection and reassignment.

Including connection screws and sealing strips. Including connection screws and sealing strips.









Fibreglass lightweight concrete

Master data		
	Item number	7215666
	Туре	BSKH09-VF1021
	Description 1	Vertical bend falling
	Description 2	for BSKH09-K1021
	Manufacturer	ОВО
	Dimension	105x210
	Colour	Grey
	Material	Fibreglass lightweight concrete
	Smallest sales unit	1
	Unit of quantity	Piece
	Weight	1414 kg
	Weight unit	kg/100 pc.

Technical data sheet

Falling vertical bend for PYROLINE® Con S BSKH09-K1021 fire protection duct Item number: 7215666



Dimensions 338 210 External dimensions 338 x 195 202 Internal dimensions 210 x 105 Width 338 mm Dimension B 338 mm Dimension b 210 mm Dimension h 105 mm Dimension H 195 mm 226 mm Dimension L

Technical data		
	Number of flammable sides	4
	Cover fastening	Loose
	Fire resistance class E – function maintenance	30
	Fire resistance class I – installation duct	90
	With perforation	no
	Partitions possible	yes
	Jacketing	Without
	Material of the insulation	Glass-fibre lightweight concrete
	Angle of the bend	45 °